



宁波市创欣装订设备有限公司
NINGBO CREATIVE BINDING EQUIPMENT CO.,LTD.

Spiral binding machine SSB420 (single wire closing)



Material:	Use Nylon Coated Wire	Spiral Lock:	Have Spiral Lock
Spiral Size:	Spiral Diameter From 8mm - 32mm	Application:	Notebook Spiral Binding
Book Thickness Range:	Below 25mm	Type:	Spiral Binding Machine

Add: NO.51Xiufeng Road Gaoqiao Industrial Park,Ningbo,315000 China

Tel:+86-574-56667189 Fax:+86-574-56667187

Email:cxautojohn@gmail.com

Web:www.bindmachinejason.com

Description:

Notebook Spiral binding machine SSB420 used for **spiral metal close**, spiral metal bind is another bind method for notebook, also popular for market. Compare double wire bind, it save material, as only **single coil**, also the book used by single wire bind look more special.

Machine operational priciple :

Material nylon coated wire go straight by adjust device and be twist in the roll bar, the roll bar we also could call spiral forming bar, when spiral formed, worker put notebook in left feeder device, finish feeder action, notebook will be deliver to spiral bind work area, then knife cut, notebook drop down and deliver by conveyor.

Application:

Used for bind spiral notebooks (in common, thickness below 25mm)



Add: NO.51Xiufeng Road Gaoqiao Industrial Park,Ningbo,315000 China

Tel:+86-574-56667189 Fax:+86-574-56667187

Email:cxautojohn@gmail.com

Web:www.bindmachinejason.com

Technical information :**Spiral diameter range**

Diameter(mm)	Line Diameter(mm)	Aperture(mm)	Binding thickness(mm)
8	0.7-0.8	Φ3.0	5
10	0.7-0.8	Φ3.0	7
12	0.8-0.9	Φ3.5	9
14	1.0-1.1	Φ4.0	11
16	1.0-1.1	Φ4.0	12
18	1.0-1.1	Φ4.0	14
20	1.1-1.2	Φ4.0	15
22	1.1-1.2	Φ5.0	17
25	1.1-1.2	Φ5.0	20
28	1.2-1.3	Φ5.0	23
32	1.2-1.4	Φ5.0	25

Spiral metal bind machine technical data

Speed	600-900 books/hour
Air Pressure	5-8 Kgf
Wire Diameter	8-32mm
Binding size	75mm-420mm
Power	1PH 220V 50/60HZ(other voltage on request)
size	1900mmx700mx1600mm
Net weight	600Kg

Add: NO.51Xiufeng Road Gaoqiao Industrial Park,Ningbo,315000 China

Tel:+86-574-56667189 Fax:+86-574-56667187

Email:cxautojohn@gmail.com

Web:www.bindmachinejason.com

Advantage compare other supplier machine:

1. **Spiral lock** function could be choose .
2. Wide range productions could be finished , thickness below 25mm all could be perfect finish.
- 3.Special bind structure which is differ from other similar machine
- 4.Cover for differ size notebooks also could be finish by this machine.

Additional photos:



Add: NO.51Xiufeng Road Gaoqiao Industrial Park,Ningbo,315000 China
Tel:+86-574-56667189 Fax:+86-574-56667187
Email:cxautojohn@gmail.com
Web:www.bindmachinejason.com